

Adobe Acrobat Standard - [2006\_IRC.pdf]

File Edit View Document Tools Advanced Window Help

Open Save Print Email Search Create PDF Review & Comment Secure Sign

Select Text 149% How To.?

**TABLE P2904.5  
WATER DISTRIBUTION PIPE**

| MATERIAL   | STANDARD  |
|--|---|
| Brass pipe   | ASTM B 43                                       |
| Chlorinated polyvinyl chloride (CPVC) plastic pipe and tubing                  | ASTM D 2846; ASTM F 441; ASTM F 442; CSA B137.6 |
| Copper or copper-alloy pipe  | ASTM B 42; ASTM B 302                           |
| Copper or copper-alloy tubing (Type K, WK, L, WL, M or WM)                     | ASTM B 75; ASTM B 88; ASTM B 251; ASTM B 447    |
| Cross-linked polyethylene (PEX) plastic tubing                                 | ASTM F 877; CSA B137.5                          |
| Cross-linked polyethylene/aluminum/cross-linked polyethylene (PEX-AL-PEX) pipe | ASTM F 1281; CSACAN/CSA-B137.10                 |
| Cross-linked polyethylene/aluminum/high-density polyethylene (PEX-AL-HDPE)     | ASTM F 1986                                     |
| Galvanized steel pipe  | ASTM A 53                                       |
| Polybutylene (PB) plastic pipe and tubing                                      | ASTM D 3309; CSA CAN3-B137.8                    |
| Polyethylene/aluminum/polyethylene (PE-AL-PE) composite pipe                   | ASTM F 1282                                     |
| Polypropylene (PP) plastic pipe or tubing                                      | ASTM F 2389; CSA B137.11                        |
| Stainless steel (Type 304/304L) pipe   | ASTM A 312; ASTM A 778                          |
| Stainless steel (Type 316/316L) pipe   | ASTM A 312; ASTM A 778                          |

8.5 x 11 in 464 of 685 11:28 PM